









# FIAT<sup>®</sup> PRODUCTS
















**US LIST PRICE GUIDE**  
EFFECTIVE AUGUST, 2022



# COLOR OPTIONS

TERRAZZO			MOLDED-STONE	GELCOAT	LAUNDRY TUBS
					
<b>501</b> Grey Portland Cement with White Chips	<b>081</b> White Portland Cement with Black and White Chips	<b>100</b> White Portland Cement with White Chips	<b>100</b> White	<b>100</b> White	<b>100</b> White

## STANDARD COLORS AND CUSTOM ORDER COLOR AVAILABILITY

	STANDARD COLOR	CUSTOM ORDER COLOR
<b>MOP SERVICE BASINS</b>		
TERRAZZO	 <b>501</b> Grey Portland Cement with White Chips	 <b>081</b> White Portland Cement with Black & White Chips  <b>100</b> White Portland Cement with White Chips
MOLDED-STONE®	 <b>100</b> White	None
<b>SHOWER FLOORS</b>		
TERRAZZO	 <b>081</b> White Portland Cement with Black & White Chips	 <b>100</b> White Portland Cement with White Chips  <b>501</b> Grey Portland Cement with White Chips
MOLDED-STONE	 <b>100</b> White	None
<b>BARRIER-FREE SHOWER FLOORS</b>		
TERRAZZO	 <b>081</b> White Portland Cement with Black & White Chips	 <b>100</b> White Portland Cement with White Chips  <b>501</b> Grey Portland Cement with White Chips
GELCOAT	 <b>100</b> White	None
<b>LAUNDRY TUBS</b>		
LAUNDRY TUBS	 <b>100</b> White	None

Custom Order Terrazzo forms available at <http://www.fiatproducts/resources>  
 Custom orders cannot be cancelled and are non-refundable.



**MOP SERVICE BASINS**



**SHOWER FLOORS**



**LAUNDRY TUBS**

## **A TRUSTED BRAND WITH A STRONG COMMERCIAL LEGACY**

Since 1919, FIAT® Products have been making their way into hotels, schools, offices, hospitals, and homes. As a leader in commercial, institutional, and residential markets, FIAT's decades of experience in the design, development, and manufacturing of plumbing products has led to an impressive array of durable high-quality products from terrazzo shower floors to mop service basins and laundry tubs.

### **THE FIAT ADVANTAGE**

The **most specified** brand in the industry

Made from **high quality** raw materials

**Leader** in quality, durability, and safety

Shower floors, mop service basins, and laundry tubs are **made in the USA**

**Reliable and dependable** customer and technical service teams

## MATERIAL DESCRIPTIONS

### TERRAZZO

There is not a finer and more durable material for mop basins and shower floors than precast terrazzo. FIAT®'s mop service basins, composed of black and white marble chips cast in grey Portland cement, and shower bases, composed of black and white marble chips cast in white Portland cement, have a minimum compression strength of 3,000 psi. They are easy to maintain and install.

Used in FIAT Mop Service Basins and Shower Floors

### MOLDED-STONE® OR SHEET MOLDING COMPOUND (SMC)

Molded-Stone or SMC contains a calcium based material that while being low cost, provides weight, strength, and fire retarding properties. The SMC process permits the use of longer glass fibers, which are placed in a multiple overlap of individual strands to permit total impregnation and wetting-out of the fibers without any fiber degradation that can diminish the strength-imparting properties. The more thorough bond of the glass fibers reduces the amount of fibers necessary for maximum strength, resulting in both lower weight and a denser, smoother, void-free product.

Used in FIAT Mop Service Basins, Shower Floors and Laundry Tubs

### GELCOAT

Gelcoat material is made entirely out of fiberglass with a gelcoat surface finish. This gelcoat is a polyester resin on the surface of the fiberglass material. This type of material is affordable and can be repaired easily.

Used in FIAT Shower Floors

### POLYETHYLENE

Polyethylene is the most common and popular plastic used in daily life. This very versatile material is used in products from water bottles to laundry tubs. FIAT polyethylene laundry tubs are made from high density polyethylene material that is light weight and durable.






Used in FIAT Laundry Tubs



# CUSTOM QUOTING

For your convenience, FIAT® produces custom terrazzo floors. If you're looking for a special size or shape, use the FIAT custom quoting forms found on our website [www.fiatproducts.com](http://www.fiatproducts.com) under resources.

## EXAMPLE FORM:

TSB SERIES																	
			<p style="text-align: center;"><u>SPECIFICATIONS</u></p> <p>3" STAINLESS STEEL DRAIN BODY CAST INTEGRAL WITH REMOVABLE STRAINER PLATE MADE OF STAINLESS STEEL</p>														
			 <p style="text-align: center;">SECTION THRU DRAIN</p>														
			<div style="display: flex; justify-content: space-around;"> <div style="text-align: center;">  <p>SECTION 1</p> </div> <div style="text-align: center;">  <p>SECTION 2</p> </div> <div style="text-align: center;">  <p>SECTION 3</p> </div> </div> <p style="text-align: center;">* SELECT SECTION AS TO APPROPRIATE SIDE (PLAIN, CAPPED, FLANGED)</p>														
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%;">QTY</th> <th style="width: 20%;">SIZE</th> <th style="width: 10%;">A</th> <th style="width: 10%;">B</th> <th style="width: 10%;">C*</th> <th style="width: 10%;">D*</th> </tr> </thead> <tbody> <tr> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table>						QTY	SIZE	A	B	C*	D*						
QTY	SIZE	A	B	C*	D*												
<p>* INDICATES DRAIN LOCATION. DIMENSIONS MUST BE SPECIFIC, ESPECIALLY WITH OFFSET DRAIN.</p> <p>DRAIN SIZE (OTHER THAN 3"): _____</p> <p>COLOR (OTHER THAN BLACK &amp; WHITE) _____</p>			<p>NOTE: ESTABLISH 1/4" INCH CLEARANCE BETWEEN SHOWER FLOOR AND WALL. IT IS IMPORTANT THAT ENTIRE AREA BETWEEN RECEPTOR AND BUILDING FLOOR HAVE A LAYER OF MORTAR IN ORDER THAT SHOWER FLOORS BE LEVEL.</p> <p>NOTE: CUSTOMER TO REVIEW, VERIFY, AND APPROVE DRAWING FOR PRODUCTION. ONCE DRAWING IS SIGNED FOR APPROVAL AND SUBMITTED WITH ORDER, THE ORDER SHALL BE <b>NON-CANCELABLE</b>.</p>														
<p><b>IMPORTANT:</b> DUE TO THE NATURE OF MATERIAL AND MANUFACTURING PROCESS THE ACTUAL DIMENSIONS MAY VARY ±1/4"</p>																	
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%; text-align: center;"> <b>FIAT PRODUCTS</b>  <small>CUSTOMER SERVICE UNITED STATES 1-800-442-1902 www.fiatproducts.com</small> </td> <td style="width: 50%; text-align: center;"> <small>CUSTOMER SERVICE CANADA 1-800-387-0369 www.fiat.ca</small> </td> </tr> </table>		<b>FIAT PRODUCTS</b> <small>CUSTOMER SERVICE UNITED STATES 1-800-442-1902 www.fiatproducts.com</small>	<small>CUSTOMER SERVICE CANADA 1-800-387-0369 www.fiat.ca</small>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">DWG. APPROVED:</td> <td style="width: 50%;">DATE:</td> </tr> <tr> <td>CUST: _____</td> <td></td> </tr> <tr> <td>JOB: _____</td> <td></td> </tr> <tr> <td>ORDER #:</td> <td></td> </tr> </table>				DWG. APPROVED:	DATE:	CUST: _____		JOB: _____		ORDER #:			
<b>FIAT PRODUCTS</b> <small>CUSTOMER SERVICE UNITED STATES 1-800-442-1902 www.fiatproducts.com</small>	<small>CUSTOMER SERVICE CANADA 1-800-387-0369 www.fiat.ca</small>																
DWG. APPROVED:	DATE:																
CUST: _____																	
JOB: _____																	
ORDER #:																	

After you complete the form with drawing and dimensions, e-mail it to: [CustomQuotes@FIATProducts.com](mailto:CustomQuotes@FIATProducts.com)  
The drawing will be reviewed, approved, quoted and returned for final authorization to produce.

### Standard Net Charges:

- Vandal Resistant Drain: \$25.00
- Stainless Steel Flange: \$7.50 per flange
- \*Custom Color Only: \$40.00

\*This charge covers a custom SKU that requires an optional color only. No other modifications are included in this upcharge.

See inside back cover for custom order color availability.

# QUICK CONNECT GASKET APPLICATIONS

QIC & QDC Quick Connect Gasket Applications

## QIC & QDC Quick Connect Gasket Applications

GASKET	HEIGHT	O.D.	I.D.	FOR USE WITH	FIAT PRODUCT APPLICATION	LIST PRICE
QIC2000	1.000	3.050	2.270	2.375 O.D. Pipe	ADAF Gelcoat & Cascade	4
QIC2CP000	1.175	3.080	2.000	2.125 O.D. Copper Pipe	ADAF Gelcoat & Cascade	34
QIC3XH000	1.240	4.180	3.520	3.5 O.D. Pipe	Molded-Stone Mop Basin – MSBID2424 – only	8
QDC2000	1.150	3.050	2.275	2.375 O.D. Pipe	Replacement for Steel Drain Cascade Floor ( Rare – 10 year old floors )	44
QDC4000	1.000	2.950	2.350	2.375 O.D. Pipe	Terrazzo Shower Floors	4
QDC3XH000	1.240	4.480	3.400	3.5 O.D. Pipe	Terrazzo Mop Service Basins & Molded-Stone® Mop Basins ( MSB Standard )	9
QDC3SN000	1.250	4.400	3.200	3.5 O.D. Pipe	Terrazzo Mop Service Basins & Molded-Stone Mop Basins	28
QDC32000	1.350	4.400	2.250	2.375 O.D. Pipe	Terrazzo Mop Service Basins & Molded-Stone Mop Basins ( EFS Basins )	18
QIC32000	1.240	4.100	2.220	2" PVC Pipe	Molded-Stone Mop Basin – MSBID2424 – only	16
QIC3SN000	1.240	4.100	2.220	3" Soil Pipe	Molded-Stone Mop Basin – MSBID2424 – only	12



QIC2000



QDC2000



QDC3XH000



QIC32000




QIC2CP000



QDC4000



QDC3SN000



QIC3SN000



QIC3XH000



QDC32000

# INDEX

FIAT® Products Quick Reference					
Model Number	List Price	Page	Model Number	List Price	Page
00242604100	11	22	MSB3624	376	13
30MFT	595	16	MSBID2424	257	13
3236MFTRS	624	17	MSBIDTG2424	570	13
32MFT	631	16	PA11	231	25
32MFTD	607	18	P1	105	25
32WL	241	21	P1-BULKWC	7,866	25
34MFT	740	16	RM	1,105	18
34MFTC	596	18	QDC2000	44	4
34WL	272	21	QDC32000	18	4
3632MFTR	715	17	QDC3SN000	28	4
3642MFTRS	679	17	QDC3XH000	9	4
3648MFTRS	743	17	QDC4000	4	4
36MFT	760	16	QIC2000	4	4
36MFTC	615	18	QIC2CP000	34	4
36WL	235	21	QIC3200	16	4
36WLC	262	22	QIC3SN000	12	4
36WLD	344	22	QIC3XH000	8	4
38WLC	304	22	SB2424	556	12
4232MFTR	741	17	SB3030	583	12
4236MFTR	743	17	SB3232	593	12
4242WL	366	21	SB3624	574	12
42MFT	829	16	SB3636	590	12
42WL	301	21	SBC3636	609	9
4832MFTR	701	17	SF1F	153	24
4832WL	333	21	SF1W	144	24
4836MFTR	716	17	SF1F-BULKWC100	11,715	24
48MFT	891	16	SF1F/A1100	257	24
48WL	351	21	SF1W/A1100	248	24
54WL	421	21	STRWL000	12	22
6030MFTR	798	17	TAT1	292	25
6032MFTR	814	17	TSB100	739	10
6034MFTR	818	17	TSB200	707	11
6036MFTR	834	17	TSB300	924	10
60WL	517	21	TSB3000	930	7
7H537	622	12	TSB3001	1,001	7
ADAF3636	900	20	TSB3002	1,134	7
ADAF6030	980	20	TSB3003	927	7
ADAF6036	1,060	20	TSB3010	748	8
ADATN3636	867	19	TSB3011	862	8
ADATN6030	1,465	19	TSB3012	811	8
ADATN6036	1,531	19	TSB3013	621	8
ADAWN3636	1,093	19	TSB400	901	11
ADAWN6030	1,532	19	TSB500	1,321	10
ADAWN6036	1,682	19	TSB600	1,037	11
DL1	144	25	TSB700	1,009	10
DL1720	111	25	TSB800	821	11
DL1-BULKWC	7,867	25	TSBC1610	805	7
FL1	175	23	TSBC1611	876	7
FL1-BULKWC	13,288	23	TSBC1612	1,026	7
FL7	178	23	TSBC6000	691	8
FL7TG	320	23	TSBC6001	828	8
FL7-BULKWC	14,043	23	TSBC6002	924	8
FLTDII	313	24	TSBC6010	954	9
FLTDII/A1100	505	24	TSBC6011	1,061	9
FLTDII-BULKWC	6,172	24	TSBC6012	1,187	9
L1	161	23	TSBCR1000	713	9
L1-BULKWC	12,604	23	TSBCR1100	930	9
L7	168	23	TTB2424	479	10
L7TG	299	23	TTB3624	501	10
L7-BULKWC	13,131	23	WTR4990	1,159	20
LTDII	294	24	WTR4995	1,072	20
LTDII-BULKWC	5,795	24	WTR5006	1,454	20
MSB2424	315	13	WTR5007	1,461	20



# INDEX

## Recommended Upgrades and Parts Quick Reference



Model Number	List Price	Page	Model Number	List Price	Page
▷0017204000	14.66	26	E77AA36000	54	15
▷00242604100	11	22	E88AA24000	55	15
▷00727402000	8	26	E88AA36000	62	15
▷01898800100	15	26	GRA02000	42	14
▷01898900000	10	26	GRA03000	22	14
▷02727900000	33	26	GRA04000	8	14
▷02727901100	49	26	GRA05000	18	14
▷02883900100	47	26	GRA07000	42	14
▷02883901000	36	26	GRA09000	21	14
▷02883902000	34	26	GRA10000	21	14
▷02883903000	152	26	GRA11000	12	14
▷02883906000	152	26	MSG24000	110.19	15
▷02883907000	152	26	MSG2424000	247.63	15
▷02898904100	78	26	MSG28000	117.37	15
▷02898905000	55	26	MSG2828000	265.93	15
1453BB000	18	15	MSG32000	124.56	15
1239BB24000	127	15	MSG3232000	280.32	15
1239BB32000	140	15	MSG36000	131.76	15
1239BB36000	198	15	MSG3624000	273.12	15
38640020000	19	15	MSG3636000	294.72	15
830AA000	256	14	MSGBRKT000	28.85	15
832AA000	45	15	RP07000	6	14
832AA5FT000	49.50	15	▷ STR1000	47	15
833AA000	17	15	▷ STRID2000	16	15
889CC000	85	15	▷ STRWL000	12	22
A1000	115	26	TERRAZZO KIT081	109	15
A2000	9	26	TERRAZZO KIT100	109	15
A17000	101	26	TERRAZZO KIT501	109	15
E77AA24000	42	15			

## Custom Orders Quick Reference

Model Number	List Price	Page	Model Number	List Price	Page
ADATSPEC	CUSTOM ORDER	19	MFTSPEC	CUSTOM ORDER	17
ADAWSPEC	CUSTOM ORDER	19	SBSPEC	CUSTOM ORDER	12
MFTSPEC	CUSTOM ORDER	16	TSBSPEC	CUSTOM ORDER	7-11
MFTCSPEC	CUSTOM ORDER	18	TTBSPEC	CUSTOM ORDER	10
MFTDSPEC	CUSTOM ORDER	18	WTRSPEC	CUSTOM ORDER	20

▷ Repair Parts

# TERRAZZO MOP SERVICE BASINS

Mop Service Basins	DESCRIPTION	SHIP WT. (lbs/kg)	CUBES (Ft. <sup>3</sup> )	COLORS	LIST PRICE
<b>STOCKTON™</b> 	<ul style="list-style-type: none"> <li>• Neo-corner mop service basin</li> <li>• Integral stainless steel drain assembly</li> <li>• Strainer plate</li> <li>• Stainless steel drop front threshold with stainless steel cap</li> <li>• 3" Drain</li> <li>• Basin — 12" (305 mm) deep with 6" (152 mm) drop front</li> </ul>				
	<b>TSBC1610</b> <b>Nominal Dimensions:</b> <ul style="list-style-type: none"> <li>• 24" x 24" (610 x 610 mm)</li> </ul>	235 lbs (107 kg)	4.0	501 Grey Portland Cement with White Chips	805
	<b>TSBC1611</b> <b>Nominal Dimensions:</b> <ul style="list-style-type: none"> <li>• 32" x 32" (813 x 813 mm)</li> </ul>	240 lbs (109 kg)	7.1	501 Grey Portland Cement with White Chips	876
	<b>TSBC1612</b> <b>Nominal Dimensions:</b> <ul style="list-style-type: none"> <li>• 36" x 36" (914 x 914 mm)</li> </ul>	455 lbs (206 kg)	9.0	501 Grey Portland Cement with White Chips	1,026
<b>STOCKTON™</b> 	<ul style="list-style-type: none"> <li>• Mop service basin</li> <li>• Integral stainless steel drain assembly</li> <li>• Strainer plate</li> <li>• 3" Drain</li> <li>• Basin — 12" (305 mm) deep with 6" (152 mm) drop front</li> <li>• Stainless steel caps on all curbs</li> </ul>				
	<b>TSB3000</b> <b>Nominal Dimensions:</b> <ul style="list-style-type: none"> <li>• 24" x 24" (610 x 610 mm)</li> </ul>	240 lbs (109 kg)	4.0	501 Grey Portland Cement with White Chips	930
	<b>TSB3001</b> <b>Nominal Dimensions:</b> <ul style="list-style-type: none"> <li>• 32" x 32" (813 x 813 mm)</li> </ul>	410 lbs (186 kg)	7.1	501 Grey Portland Cement with White Chips	1,001
	<b>TSB3002</b> <b>Nominal Dimensions:</b> <ul style="list-style-type: none"> <li>• 36" x 36" (914 x 914 mm)</li> </ul>	470 lbs (213 kg)	9.0	501 Grey Portland Cement with White Chips	1,134
<b>TSB3003</b> <b>Nominal Dimensions:</b> <ul style="list-style-type: none"> <li>• 36" x 24" (914 x 610 mm)</li> </ul>	350 lbs (159 kg)	6.0	501 Grey Portland Cement with White Chips	927	
<b>Custom Order</b>				<b>Optional Colors</b>	
<b>TSBSPEC*</b>				081 White Portland Cement with Black & White Chips 100 White Portland Cement with White Chips	



Terrazzo  
Mop Service Basins

\*Custom Order Terrazzo forms available at [www.fiatproducts.com/resources](http://www.fiatproducts.com/resources).

\*Custom orders cannot be cancelled and are non-refundable.

For recommended upgrades and parts, see page 15.

# QUICK CONNECT GASKET APPLICATIONS




Mop Service Basins	DESCRIPTION	SHIP WT. (lbs/kg)	CUBES (ft. <sup>3</sup> )	COLORS	LIST PRICE
<b>STOCKTON™</b> 	<ul style="list-style-type: none"> <li>Mop service basin</li> <li>Stainless steel drop front threshold</li> <li>Integral stainless steel drain assembly</li> <li>Strainer plate</li> <li>Stainless steel drop front threshold with stainless steel cap</li> <li>3" Drain</li> <li>Basin — 12" (305 mm) deep with 6" (152 mm) drop front</li> </ul>				
	<b>TSB3010</b> <b>Nominal Dimensions:</b> <ul style="list-style-type: none"> <li>24" x 24" (610 x 610 mm)</li> </ul>	230 lbs (140 kg)	4.0	501 Grey Portland Cement with White Chips	748
	<b>TSB3011</b> <b>Nominal Dimensions:</b> <ul style="list-style-type: none"> <li>32" x 32" (813 x 813 mm)</li> </ul>	415 lbs (188 kg)	7.1	501 Grey Portland Cement with White Chips	862
	<b>TSB3012</b> <b>Nominal Dimensions:</b> <ul style="list-style-type: none"> <li>36" x 36" (914 x 914 mm)</li> </ul>	470 lbs (213 kg)	9.0	501 Grey Portland Cement with White Chips	811
<b>TSB3013</b> <b>Nominal Dimensions:</b> <ul style="list-style-type: none"> <li>36" x 24" (914 x 610 mm)</li> </ul>	345 lbs (156 kg)	6.0	501 Grey Portland Cement with White Chips	621	
<b>STOCKTON™</b> 	<ul style="list-style-type: none"> <li>Neo-corner mop service basin with plain curbs</li> <li>Integral stainless steel drain assembly</li> <li>Strainer plate</li> <li>3" Drain</li> <li>Basin — 12" (305 mm) deep</li> </ul>				
	<b>TSBC6000</b> <b>Nominal Dimensions:</b> <ul style="list-style-type: none"> <li>24" x 24" (610 x 610 mm)</li> </ul>	255 lbs (116 kg)	4.0	501 Grey Portland Cement with White Chips	691
	<b>TSBC6001</b> <b>Nominal Dimensions:</b> <ul style="list-style-type: none"> <li>32" x 32" (813 x 813 mm)</li> </ul>	420 lbs (190 kg)	7.1	501 Grey Portland Cement with White Chips	828
<b>TSBC6002</b> <b>Nominal Dimensions:</b> <ul style="list-style-type: none"> <li>36" x 36" (914 x 914 mm)</li> </ul>	485 lbs (220 kg)	9.0	501 Grey Portland Cement with White Chips	924	
<b>Custom Order</b>				<b>Optional Colors</b>	
<b>TSBSPEC*</b>				081 White Portland Cement with Black & White Chips 100 White Portland Cement with White Chips	

\*Custom Order Terrazzo forms available at [www.fiatproducts.com/resources](http://www.fiatproducts.com/resources).

\*Custom orders cannot be cancelled and are non-refundable.

For recommended upgrades and parts, see page 15.

# INDEX


Mop Service Basins	DESCRIPTION	SHIP WT. (lbs/kg)	CUBES (Ft. <sup>3</sup> )	COLORS	LIST PRICE
<b>STOCKTON™</b>   <b>TSBC6010</b>	<ul style="list-style-type: none"> <li>Neo-corner mop service basin with continuous stainless steel caps on all curbs</li> <li>Integral stainless steel drain assembly</li> <li>Strainer plate</li> <li>3" Drain</li> <li>Basin — 12" (305 mm) deep</li> </ul>	255 lbs (116 kg)	4.0	501 Grey Portland Cement with White Chips	954
	<b>Nominal Dimensions:</b> <ul style="list-style-type: none"> <li>24" x 24" (610 x 610 mm)</li> </ul>				
	<b>TSBC6011</b>				
<b>Nominal Dimensions:</b> <ul style="list-style-type: none"> <li>32" x 32" (813 x 813 mm)</li> </ul>	420 lbs (190 kg)	7.1	501 Grey Portland Cement with White Chips	1,061	
<b>TSBC6012</b>	<b>Nominal Dimensions:</b> <ul style="list-style-type: none"> <li>36" x 36" (914 x 914 mm)</li> </ul>	485 lbs (220 kg)	9.0	501 Grey Portland Cement with White Chips	1,187
<b>STOCKTON™</b>   <b>TSBCR1000</b>	<ul style="list-style-type: none"> <li>Neo-corner mop service basin with plain curbs</li> <li>Integral stainless steel drain assembly</li> <li>Strainer plate</li> <li>3" Drain</li> <li>Basin — 12" (305 mm) deep with 6" (152 mm) drop front threshold</li> </ul>	290 lbs (132 kg)	5.4	501 Grey Portland Cement with White Chips	713
	<b>Nominal Dimensions:</b> <ul style="list-style-type: none"> <li>28" x 28" (711 x 711 mm)</li> </ul>				
<b>TSBCR1100</b>	<b>Nominal Dimensions:</b> <ul style="list-style-type: none"> <li>28" x 28" (711 x 711 mm)</li> <li>Same as TSBCR1000 with stainless steel threshold</li> </ul>	290 lbs (132kg)	5.4	501 Grey Portland Cement with White Chips	930
<b>BERKELEY™</b>   <b>SBC3636</b>	<ul style="list-style-type: none"> <li>Neo-corner mop service basin with plain curbs</li> <li>Integral stainless steel drain assembly</li> <li>Strainer plate</li> <li>Basin — 6" (152 mm) deep</li> </ul>	295 lbs (134 kg)	4.5	501 Grey Portland Cement with White Chips	609
<b>Nominal Dimensions:</b> <ul style="list-style-type: none"> <li>36" x 36" (813 x 813 mm)</li> </ul>					
<b>Custom Order</b>				<b>Optional Colors</b>	
<b>TSBSPEC*</b>				081 White Portland Cement with Black & White Chips 100 White Portland Cement with White Chips	


\*Custom Order Terrazzo forms available at [www.fiatproducts.com/resources](http://www.fiatproducts.com/resources).

\*Custom orders cannot be cancelled and are non-refundable.

For recommended upgrades and parts, see page 15.

# QUICK CONNECT GASKET APPLICATIONS

Mop Service Basins	DESCRIPTION	SHIP WT. (lbs/kg)	CUBES (Ft. <sup>3</sup> )	COLORS	LIST PRICE
<b>STOCKTON™</b> 	<ul style="list-style-type: none"> <li>Mop service basin</li> <li>Continuous stainless steel caps on all curbs</li> <li>Integral stainless steel drain assembly</li> <li>Strainer plate</li> <li>3" Drain</li> <li>Basin — 12" (305 mm) deep</li> </ul>				
	<b>TSB100</b> <b>Nominal Dimensions:</b> <ul style="list-style-type: none"> <li>24" x 24" (610 x 610 mm)</li> </ul>	280 lbs (127 kg)	4.0	501 Grey Portland Cement with White Chips	739
	<b>TSB300</b> <b>Nominal Dimensions:</b> <ul style="list-style-type: none"> <li>32" x 32" (813 x 813 mm)</li> </ul>	435 lbs (197 kg)	7.1	501 Grey Portland Cement with White Chips	924
	<b>TSB500</b> <b>Nominal Dimensions:</b> <ul style="list-style-type: none"> <li>36" x 36" (914 x 914 mm)</li> </ul>	545 lbs (247 kg)	9.0	501 Grey Portland Cement with White Chips	1,321
	<b>TSB700</b> <b>Nominal Dimensions:</b> <ul style="list-style-type: none"> <li>36" x 24" (914 x 610 mm)</li> </ul>	405 lbs (184 kg)	6.0	501 Grey Portland Cement with White Chips	1,009
<b>Custom Order</b>				<b>Optional Colors</b>	
	<b>TSBSPEC*</b>			081 White Portland Cement with Black & White Chips 100 White Portland Cement with White Chips	


<b>STOCKTON™</b> 	<ul style="list-style-type: none"> <li>Mop service basin</li> <li>Plain curb</li> <li>Integral stainless steel drain assembly</li> <li>Strainer plate</li> <li>3" Drain</li> <li>Basin — 10" (254 mm) deep</li> </ul>				
	<b>TTB2424</b> <b>Nominal Dimensions:</b> <ul style="list-style-type: none"> <li>24" x 24" (610 x 610 mm)</li> </ul>	240 lbs (109 kg)	3.3	501 Grey Portland Cement with White Chips	479
	<b>TTB3624</b> <b>Nominal Dimensions:</b> <ul style="list-style-type: none"> <li>36" x 24" (914 x 610 mm)</li> </ul>	340 lbs (154 kg)	5.0	501 Grey Portland Cement with White Chips	501
<b>Custom Order</b>				<b>Optional Colors</b>	
	<b>TTBSPEC*</b>			081 White Portland Cement with Black & White Chips 100 White Portland Cement with White Chips	

\*Custom Order Terrazzo forms available at [www.fiatproducts.com/resources](http://www.fiatproducts.com/resources).

\*Custom orders cannot be cancelled and are non-refundable.

For recommended upgrades and parts, see page 15.

# INDEX

Mop Service Basins	DESCRIPTION	SHIP WT. (lbs/kg)	CUBES (Ft. <sup>3</sup> )	COLORS	LIST PRICE
<b>STOCKTON™</b> 	<ul style="list-style-type: none"> <li>• Mop service basin</li> <li>• Square mop service basin with plain curbs</li> <li>• Integral stainless steel drain assembly</li> <li>• Strainer plate</li> <li>• 3" Drain</li> <li>• Basin — 12" (305 mm) deep</li> </ul>				
	<b>TSB200</b> <b>Nominal Dimensions:</b> <ul style="list-style-type: none"> <li>• 24" x 24" (610 x 610 mm)</li> </ul>	280 lbs (127 kg)	4.0	501 Grey Portland Cement with White Chips	707
	<b>TSB400</b> <b>Nominal Dimensions:</b> <ul style="list-style-type: none"> <li>• 32" x 32" (813 x 813 mm)</li> </ul>	435 lbs (197 kg)	7.1	501 Grey Portland Cement with White Chips	901
	<b>TSB600</b> <b>Nominal Dimensions:</b> <ul style="list-style-type: none"> <li>• 36" x 36" (914 x 914 mm)</li> </ul>	545 lbs (247 kg)	9.0	501 Grey Portland Cement with White Chips	1,037
<b>TSB800</b> <b>Nominal Dimensions:</b> <ul style="list-style-type: none"> <li>• 36" x 24" (914 x 610 mm)</li> </ul>	405 lbs (184 kg)	6.0	501 Grey Portland Cement with White Chips	821	
<b>Custom Order</b>				<b>Optional Colors</b>	
<b>TSBSPEC*</b>				081 White Portland Cement with Black & White Chips 100 White Portland Cement with White Chips	



Terrazzo  
Mop Service Basins


\*Custom Order Terrazzo forms available at [www.fiatproducts.com/resources](http://www.fiatproducts.com/resources).

\*Custom orders cannot be cancelled and are non-refundable.

For recommended upgrades and parts, see page 15.

# TERRAZZO MOP SERVICE BASINS & SERVICE SINK BASE

Mop Service Basins	DESCRIPTION	SHIP WT. (lbs/kg)	CUBES (Ft. <sup>3</sup> )	COLORS	LIST PRICE
 <b>BERKELEY™</b>	<ul style="list-style-type: none"> <li>Mop service basin with plain curbs</li> <li>Integral stainless steel drain assembly</li> <li>Strainer plate</li> <li>3" Drain</li> <li>Basin — 6" (152 mm) deep</li> </ul>				
	<b>SB2424</b> <b>Nominal Dimensions:</b> • 24" x 24" (640 x 640 mm)	255 lbs (116 kg)	3.1	501 Grey Portland Cement with White Chips	556
	<b>SB3030</b> <b>Nominal Dimensions:</b> • 30" x 30" (762 x 762 mm)	280 lbs (127 kg)	3.1	501 Grey Portland Cement with White Chips	583
<b>SB3232</b> <b>Nominal Dimensions:</b> • 32" x 32" (813 x 813 mm)	260 lbs (118 kg)	3.5	501 Grey Portland Cement with White Chips	593	
 <b>BERKELEY™</b>	<ul style="list-style-type: none"> <li>Mop service basin with plain curbs</li> <li>Integral stainless steel drain assembly</li> <li>Strainer plate</li> <li>3" Drain</li> <li>Basin — 6" (152 mm) deep</li> </ul>				
	<b>SB3624</b> <b>Nominal Dimensions:</b> • 36" x 24" (914 x 610 mm)	220 lbs (100 kg)	3.0	501 Grey Portland Cement with White Chips	574
	<b>SB3636</b> <b>Nominal Dimensions:</b> • 36" x 36" (914 x 914 mm)	325 lbs (147 kg)	4.5	501 Grey Portland Cement with White Chips	590
<b>Custom Order</b>				<b>Optional Colors</b>	
<b>SBSPEC*</b>				081 White Portland Cement with Black & White Chips 100 White Portland Cement with White Chips	




Service Sink Base	DESCRIPTION	SHIP WT. (lbs/kg)	CUBES (Ft. <sup>3</sup> )	COLORS	LIST PRICE
 <b>Newcor Base</b>	<ul style="list-style-type: none"> <li>Service Sink Base</li> <li>Used with vitreous china clinic service sinks</li> </ul>				
<b>7H537</b>	<b>Nominal Dimensions:</b> • 28" x 14" x 10" (711 x 356 x 254 mm)	175 lbs (79 kg)	2.3	081 White Portland Cement with Black & White Chips	622

\*Custom Order Terrazzo forms available at [www.fiatproducts.com/resources](http://www.fiatproducts.com/resources).

\*Custom orders cannot be cancelled and are non-refundable.

For recommended upgrades and parts, see page 15.


# MOLDED-STONE® MOP SERVICE BASINS


Mop Service Basins	DESCRIPTION	SHIP WT. (lbs/kg)	CUBES (Ft. <sup>3</sup> )	COLORS	LIST PRICE
<p><b>MODESTO™</b></p>  <p><b>MSBID2424</b></p>	<ul style="list-style-type: none"> <li>Molded-Stone® mop service basin with plain curbs</li> <li>Integral drain is molded into a one piece unit and designed to connect to a 3" drain pipe</li> <li>Includes QIC3XH</li> <li>Basin — 10" (254 mm) deep</li> </ul> <p><b>Nominal Dimensions:</b></p> <ul style="list-style-type: none"> <li>24" x 24" (610 x 610 mm)</li> </ul>	24 lbs (11 kg)	3.3	100 White	257
 <p><b>MSBIDT62424</b></p>	<ul style="list-style-type: none"> <li>Molded-Stone® mop service basin with plain curbs</li> <li>Integral drain is molded into a one piece unit and designed to connect to a 3" drain pipe</li> <li>830AA faucet</li> <li>832AA hose and bracket</li> <li>889CC mop hanger bracket</li> <li>Includes QIC3XH</li> <li>Basin — 10" (254 mm) deep</li> </ul> <p><b>Nominal Dimensions:</b></p> <ul style="list-style-type: none"> <li>24" x 24" (610 x 610 mm)</li> </ul>	40 lbs (18 kg)	3.3	100 White	570
<p><b>MODESTO™</b></p>  <p><b>MSB2424</b></p>	<ul style="list-style-type: none"> <li>Molded-Stone® mop service basin with plain curbs</li> <li>3" Stainless steel strainer plate</li> <li>Includes QDC3XH000</li> <li>Pressure fitted drain</li> <li>Basin — 10" (254 mm) deep</li> </ul> <p><b>Nominal Dimensions:</b></p> <ul style="list-style-type: none"> <li>24" x 24" (610 x 610 mm)</li> </ul>	24 lbs (11 kg)	3.3	100 White	315
<p><b>MSB3624</b></p>	<ul style="list-style-type: none"> <li>Molded-Stone® mop service basin with plain curbs</li> <li>QDC3XH000 Quick Drain Connector</li> <li>3" Stainless steel dome strainer plate</li> <li>Pressure fitted drain</li> <li>Basin — 10" (254 mm) deep</li> </ul> <p><b>Nominal Dimensions:</b></p> <ul style="list-style-type: none"> <li>36" x 24" (914 x 610 mm)</li> </ul>	49 lbs (22 kg)	5	100 White	376

For recommended upgrades and parts, see page 15.




# SERVICE FAUCET

Service Faucet	DESCRIPTION	SHIP WT. (lbs/kg)	CUBES (Ft. <sup>3</sup> )	LIST PRICE
 <p><b>830AA000</b></p> <p><b>SERVICE FAUCET</b></p> <ul style="list-style-type: none"> <li>• Chrome plated</li> <li>• Faucet with vacuum breaker</li> <li>• Integral stops</li> <li>• Adjustable wall brace</li> <li>• Pail hook and 3/4" (19 mm) hose thread on spout</li> <li>• 8" (203 mm) centerset</li> </ul>	<b>Recommended Upgrades and Parts</b>			
	<b>GRA02000</b>	Handle mounting group assembly — includes part number GRA02		42
	<b>GRA03000</b>	Coupling assembly — includes part number GRA03		22
	<b>GRA04000</b>	Washer kit — includes part number for GRA04		8
	<b>GRA05000</b>	Brace assembly — includes part number GRA05		18
	<b>GRA07000</b>	Vacuum breaker and disc assembly — includes part number GRA07		42
	<b>GRA09000</b>	Handle assembly (cold) — includes part number GRA09		21
	<b>GRA10000</b>	Handle assembly (hot) — includes part number GRA10		21
	<b>GRA11000</b>	Integral stop assembly — includes part number GRA11		12
	<b>RP07000</b>	Seat — one (1) per package.		6




# MOP SERVICE BASINS – ACCESSORIES

Recommended Upgrades and Parts		LIST PRICE
TERRAZZOKIT081	Terrazzo repair kit — Repair small cracks and nicks with this complete repair kit White Portland Cement with Black & White Chips	109
TERRAZZOKIT100	Terrazzo repair kit — Repair small cracks and nicks with this complete repair kit White Portland Cement with White Chips	109
TERRAZZOKIT501	Terrazzo repair kit — Repair small cracks and nicks with this complete repair kit Grey Portland Cement with White Chips	109
832AA000	Hose/bracket combination — 30" (762 mm) long, flexible, heavy-duty 5/8" (16 mm) cloth reinforced, rubber hose with 3/4" (19 mm) chrome coupling and 6" x 3" (152 x 76 mm) stainless steel bracket with rubber grip	45
832AA5FT000	Hose/bracket combination — 60" (1524 mm) long, flexible, heavy-duty 5/8" (16 mm) cloth reinforced, rubber hose with 3/4" (19 mm) chrome coupling and 6" x 3" (152 x 76 mm) stainless steel bracket with rubber grip	49.50
889CC000	Mop hanger bracket — constructed of 22 gauge #304 stainless steel	85
830AA000	Service faucet — chrome plated, with vacuum breaker, integral stops, adjustable wall brace, pail hook and 3/4" (19 mm) hose thread on spout. 8" (203 mm) centerset. 6.6 gpm, 80 psi	256
833AA000	Silicone sealant — one (1) recommended for installation	17
QDC32000	Quick Drain Connector — 3" (76 mm) with 2" (51 mm) hole	18
1453BB000	Strainer plate — flat type constructed of 18 gauge #304 stainless steel	18
▷ STR1000	MSB two-piece strainer basket — dome style — for model MSB2424 & MSB3624	47
E77AA24000	Bumper guard — two (2) 24" (610 mm) extruded vinyl construction	42
E88AA24000	Bumper guard — one (1) 24" (610 mm) stainless steel construction	55
E77AA36000	Bumper guard — one (1) 36" (914 mm) and one (1) 24" (610 mm) constructed of extruded vinyl	54
E88AA36000	Bumper guard — one (1) 36" (914 mm) constructed of stainless steel	62
1239BB24000	Bumper guard — 24" (457 mm) constructed of aluminum with vinyl insert	127
1239BB32000	Bumper guard — 32" (660 mm) constructed of aluminum with vinyl insert	140
1239BB36000	Bumper guard — 36" (762 mm) constructed of aluminum with vinyl insert	198
38640020000	Wall guard — screw bag — For MSG Series	19
MSG2424000	Wall guard — two (2) 24" x 12" (813 x 305 mm) stainless steel panels plus corner bracket	247.63
MSG24000	Wall guard — one (1) 24" x 12" (813 x 305 mm) stainless steel panel	110.19
MSG2828000	Wall guard — two (2) 28" x 12" (711 x 305 mm) stainless steel panels plus corner bracket	265.93
MSG28000	Wall guard — one (1) 28" x 12" (711 x 305 mm) stainless steel panel	117.37
MSG3232000	Wall guard — two (2) 32" x 12" (813 x 305 mm) stainless steel panels plus corner bracket	280.32
MSG32000	Wall guard — one (1) 32" x 12" (813 x 305 mm) stainless steel panel	124.56
MSG3636000	Wall guard — two (2) 36" x 12" (914 x 305 mm) stainless steel panels plus corner bracket	294.72
MSG36000	Wall guard — one (1) 36" x 12" (914 x 305 mm) stainless steel panel	131.76
MSG3624000	Wall guard — one (1) 36" x 12" (914 x 305 mm) and one (1) 24" x 12" (610 x 305 mm) stainless steel panel plus corner bracket	273.12
MSGBRKT000	Corner bracket — one (1) extra corner bracket	28.85
STRID2000	Flat stainless steel strainer for the MSBID only	16
Stainless Steel Tiling Flange	Available for all terrazzo mop basins — Price listed is per flange	7.50




**Mop Service Basin Strainer**  
For use with Terrazzo or Molded-Stone  
1453BB000 Stainless Steel



**Mop Service Basin Dome Two-Piece Dome Strainer**  
STR1000 Stainless Steel

▷ Repair Parts



# TERRAZZO SHOWER FLOORS

Shower Floors	DESCRIPTION	SHIP WT. (lbs/kg)	CUBES (Ft. <sup>3</sup> )	COLORS	LIST PRICE
<b>MONTEREY®</b> 	<ul style="list-style-type: none"> <li>• Single threshold, terrazzo shower floor</li> <li>• Stainless steel strainer plate</li> <li>• With 3-stainless steel flanges</li> <li>• 2" Drain</li> </ul>				
	<b>30MFT</b> <b>Nominal Dimensions:</b> <ul style="list-style-type: none"> <li>• 30" x 30" (762 x 762 mm)</li> </ul>	185 lbs (84 kg)	4.6	081 White Portland Cement with Black & White Chips	595
	<b>32MFT</b> <b>Nominal Dimensions:</b> <ul style="list-style-type: none"> <li>• 32" x 32" (813 x 813 mm)</li> </ul>	200 lbs (91 kg)	4.8	081 White Portland Cement with Black & White Chips	631
	<b>34MFT</b> <b>Nominal Dimensions:</b> <ul style="list-style-type: none"> <li>• 34" x 34" (864 x 864 mm)</li> </ul>	220 lbs (99 kg)	5.0	081 White Portland Cement with Black & White Chips	740
	<b>36MFT</b> <b>Nominal Dimensions:</b> <ul style="list-style-type: none"> <li>• 36" x 36" (914 x 914 mm)</li> </ul>	240 lbs (109 kg)	5.2	081 White Portland Cement with Black & White Chips	760
	<b>42MFT</b> <b>Nominal Dimensions:</b> <ul style="list-style-type: none"> <li>• 42" x 42" (1067 x 1067 mm)</li> </ul>	265 lbs (120 kg)	5.5	081 White Portland Cement with Black & White Chips	829
<b>48MFT</b> <b>Nominal Dimensions:</b> <ul style="list-style-type: none"> <li>• 48" x 48" (1219 x 1219 mm)</li> </ul>	390 lbs (177 kg)	10.0	081 White Portland Cement with Black & White Chips	891	
<b>Custom Order</b>				<b>Optional Colors</b>	
<b>MFTSPEC*</b>				100 White Portland Cement with White Chips 501 Grey Portland Cement with White Chips	

\*Custom Order Terrazzo forms available at [www.fiatproducts.com/resources](http://www.fiatproducts.com/resources).

\*Custom orders cannot be cancelled and are non-refundable.





# TERRAZZO SHOWER FLOORS

Shower Floors	DESCRIPTION	SHIP WT. (lbs/kg)	CUBES (Ft. <sup>3</sup> )	COLORS	LIST PRICE
<b>MONTEREY®</b> 	<ul style="list-style-type: none"> <li>• Single threshold, terrazzo shower floor</li> <li>• Stainless steel strainer plate</li> <li>• 2" Drain</li> <li>• 3-Stainless steel flanges</li> </ul>				
	<b>3632MFTR</b> <b>Nominal Dimensions:</b> <ul style="list-style-type: none"> <li>• 36" x 32" (914 x 813 mm)</li> </ul>	240 lbs (109 kg)	2.7	081 White Portland Cement with Black & White Chips	715
	<b>4232MFTR</b> <b>Nominal Dimensions:</b> <ul style="list-style-type: none"> <li>• 42" x 32" (1067 x 813 mm)</li> </ul>	265 lbs (120 kg)	3.1	081 White Portland Cement with Black & White Chips	741
	<b>4236MFTR</b> <b>Nominal Dimensions:</b> <ul style="list-style-type: none"> <li>• 42" x 36" (1067 x 914 mm)</li> </ul>	285 lbs (129 kg)	3.5	081 White Portland Cement with Black & White Chips	743
	<b>4832MFTR</b> <b>Nominal Dimensions:</b> <ul style="list-style-type: none"> <li>• 48" x 32" (1219 x 813 mm)</li> </ul>	290 lbs (131.5 kg)	3.6	081 White Portland Cement with Black & White Chips	701
	<b>4836MFTR</b> <b>Nominal Dimensions:</b> <ul style="list-style-type: none"> <li>• 48" x 36" (1219 x 914 mm)</li> </ul>	320 lbs (145 kg)	4.0	081 White Portland Cement with Black & White Chips	716
	<b>6030MFTR</b> <b>Nominal Dimensions:</b> <ul style="list-style-type: none"> <li>• 60" x 30" (1524 x 762 mm)</li> </ul>	340 lbs (154 kg)	4.2	081 White Portland Cement with Black & White Chips	798
	<b>6032MFTR</b> <b>Nominal Dimensions:</b> <ul style="list-style-type: none"> <li>• 60" x 32" (1524 x 813 mm)</li> </ul>	375 lbs (170 kg)	4.2	081 White Portland Cement with Black & White Chips	814
	<b>6034MFTR</b> <b>Nominal Dimensions:</b> <ul style="list-style-type: none"> <li>• 60" x 34" (1524 x 864 mm)</li> </ul>	380 lbs (172 kg)	4.7	081 White Portland Cement with Black & White Chips	818
<b>6036MFTR</b> <b>Nominal Dimensions:</b> <ul style="list-style-type: none"> <li>• 60" x 36" (1524 x 914 mm)</li> </ul>	390 lbs (177 kg)	5.0	081 White Portland Cement with Black & White Chips	834	
<b>MONTEREY®</b> 	<ul style="list-style-type: none"> <li>• Single threshold, terrazzo (short side), shower floor</li> <li>• Stainless steel strainer plate</li> <li>• 2" Drain</li> <li>• 3-Stainless steel flanges</li> </ul>				
	<b>3236MFTRS</b> <b>Nominal Dimensions:</b> <ul style="list-style-type: none"> <li>• 32" x 36" (813 x 914 mm)</li> </ul>	240 lbs (109 kg)	4.5	081 White Portland Cement with Black & White Chips	624
	<b>3642MFTRS</b> <b>Nominal Dimensions:</b> <ul style="list-style-type: none"> <li>• 36" x 42" (914 x 1067 mm)</li> </ul>	285 lbs (129 kg)	6.4	081 White Portland Cement with Black & White Chips	679
<b>3648MFTRS</b> <b>Nominal Dimensions:</b> <ul style="list-style-type: none"> <li>• 36" x 48" (914 x 1219 mm)</li> </ul>	320 lbs (145 kg)	4.5	081 White Portland Cement with Black & White Chips	743	
<b>Custom Order</b>				<b>Optional Colors</b>	
<b>MFTSPEC*</b>				100 White Portland Cement with White Chips 501 Grey Portland Cement with White Chips	

\*Custom Order Terrazzo forms available at [www.fiatproducts.com/resources](http://www.fiatproducts.com/resources).

\*Custom orders cannot be cancelled and are non-refundable.




# TERRAZZO SHOWER FLOORS

Shower Floors	DESCRIPTION	SHIP WT. (lbs/kg)	CUBES (Ft. <sup>3</sup> )	COLORS	LIST PRICE
 <p><b>32MFTD</b></p>	<ul style="list-style-type: none"> <li>• Double threshold, terrazzo shower floor</li> <li>• Stainless steel strainer plate</li> <li>• 2-Stainless steel flanges</li> <li>• 2" Drain</li> </ul> <p><b>Nominal Dimensions:</b> • 32" x 32" (813 x 813 mm)</p>	205 lbs (93 kg)	5.5	081 White Portland Cement with Black & White Chips	607
	<b>Custom Order</b>				<b>Optional Colors</b>
<b>MFTDSPEC*</b>				100 White with White Chips	
 <p><b>34MFTC</b></p>	<ul style="list-style-type: none"> <li>• Neo-corner, terrazzo shower floor</li> <li>• Stainless steel strainer plate</li> <li>• 2-Stainless steel flanges</li> <li>• 2" Drain</li> </ul> <p><b>Nominal Dimensions:</b> • 34" x 34" (864 x 864 mm)</p>	220 lbs (100 kg)	6.2	081 White Portland Cement with Black & White Chips	596
	<p><b>36MFTC</b></p> <p><b>Nominal Dimensions:</b> • 36" x 36" (914 x 914 mm)</p>	240 lbs (109 kg)	6.8	081 White Portland Cement with Black & White Chips	615
	<b>Custom Order</b>				<b>Optional Colors</b>
<b>MFTCSPEC*</b>				100 White Portland Cement with White Chips	
 <p><b>RM</b></p>	<ul style="list-style-type: none"> <li>• Single, terrazzo shower floor</li> <li>• Stainless steel strainer plate</li> <li>• 2" Drain</li> </ul> <p><b>Nominal Dimensions:</b> • 36" x 36" (914 x 914 mm)</p>	350 lbs (159 kg)	8.9	081 White Portland Cement with Black & White Chips	1,105
	 <p><b>RMC</b></p> <p><b>Nominal Dimensions:</b> • 36" x 36" (914 x 914 mm)</p>	310 lbs (141 kg)	8.9	081 White Portland Cement with Black & White Chips	1,090


\*Custom Order Terrazzo forms available at [www.fiatproducts.com/resources](http://www.fiatproducts.com/resources).

\*Custom orders cannot be cancelled and are non-refundable

# BARRIER-FREE SHOWER FLOORS

Wheelchair Receptors	DESCRIPTION	SHIP WT. (lbs/kg)	CUBES (Ft. <sup>3</sup> )	COLORS	LIST PRICE
<b>MONTEREY®</b>  ♦ADATN3636  ADATN6030  ADATN6036  	<ul style="list-style-type: none"> <li>No threshold, terrazzo wheelchair receptor</li> <li>Stainless steel strainer plate</li> <li>Recessed for floor installation</li> <li>ADA compliant</li> <li>3-Stainless steel flanges</li> <li>2" Drain</li> </ul>	350 lbs (159 kg)	8.3	081 White Portland Cement with Black & White Chips	867
	<b>Inside Dimensions:</b> • 36" x 36" (914 x 914 mm)	391 lbs (177 kg)	9.5	081 White Portland Cement with Black & White Chips	1,465
	<b>Inside Dimensions:</b> • 60" x 30" (1524 x 762 mm)	478 lbs (217 kg)	12.0	081 White Portland Cement with Black & White Chips	1,531
<b>Custom Order</b>				<b>Optional Colors</b>	
<b>ADATSPEC*</b>				100 White with White Chips 501 Grey Portland Cement with White Chips	
<b>HUNTINGTON™</b>  ADAWN3636  ADAWN6030  ADAWN6036	<ul style="list-style-type: none"> <li>No threshold, terrazzo wheelchair receptor with ramp</li> <li>Stainless steel strainer plate</li> <li>ADA compliant</li> <li>3-Stainless steel flanges</li> <li>2" Drain</li> </ul>	370 lbs (168 kg)	8.9	081 White Portland Cement with Black & White Chips	1,093
	<b>Inside Dimensions:</b> • 36" x 36" (914 x 914 mm)	470 lbs (213 kg)	12.0	081 White Portland Cement with Black & White Chips	1,532
	<b>Inside Dimensions:</b> • 60" x 30" (1524 x 762 mm)	545 lbs (247 kg)	13.8	081 White Portland Cement with Black & White Chips	1,682
<b>Custom Order</b>				<b>Optional Colors</b>	
<b>ADAWSPEC*</b>				100 White Portland Cement with White Chips 501 Grey Portland Cement with White Chips	

Barrier-Free Shower Floors




 Meets the Americans with Disabilities Act guidelines and ANSI A117.1 requirements for accessible and usable building facilities.


- ♦ 36" x 36" shower walls must measure 36" x 36" when inspected
- ♦ Thresholds must be 1/2" or less when inspected
- ♦ Check local codes

**\*Custom Order Terrazzo forms available at [www.fiatproducts.com/resources](http://www.fiatproducts.com/resources).**

**\*Custom orders cannot be cancelled and are non-refundable.**

# BARRIER-FREE SHOWER FLOORS

Wheelchair Receptors	DESCRIPTION	SHIP WT. (lbs/kg)	CUBES (Ft. <sup>3</sup> )	COLORS	LIST PRICE
 <p><b>GALAXY™</b></p> <p>◆ADAF3636</p> <p>ADAF6030</p> <p>ADAF6036</p> 	<ul style="list-style-type: none"> <li>No threshold, gelcoat fiberglass wheelchair receptor</li> <li>Metal drain</li> <li>Polished chrome plated strainer</li> <li>Recessed for floor installation</li> <li>3-Sided integral flange</li> <li>2" Drain</li> </ul> <p><b>Inside Dimensions:</b></p> <ul style="list-style-type: none"> <li>36" x 36" (914 x 914 mm)</li> </ul>	65 lbs (28 kg)	7.0	100 White	900
	<p><b>Inside Dimensions:</b></p> <ul style="list-style-type: none"> <li>60" x 30" (1524 x 762 mm)</li> </ul>	84 lbs (38 kg)	12.6	100 White	980
	<p><b>Inside Dimensions:</b></p> <ul style="list-style-type: none"> <li>60" x 36" (1524 x 914 mm)</li> </ul>	99 lbs (45 kg)	13.9	100 White	1,060
 <p><b>SEQUOIA™</b></p> <p>WTR4990</p> <p>WTR4995</p> <p>WTR5006</p> <p>WTR5007</p>	<ul style="list-style-type: none"> <li>No threshold, terrazzo wheelchair receptor</li> <li>Stainless steel strainer plate</li> <li>Recessed for floor installation</li> <li>3-Stainless steel flanges</li> <li>2" Drain</li> </ul> <p><b>Inside Dimensions:</b></p> <ul style="list-style-type: none"> <li>36" x 36" (914 x 914 mm)</li> </ul>	350 lbs (159 kg)	6.8	081 White Portland Cement with Black & White Chips	1,159
	<p><b>Inside Dimensions:</b></p> <ul style="list-style-type: none"> <li>39" x 39" (991 x 991 mm)</li> </ul>	365 lbs (166 kg)	6.2	081 White Portland Cement with Black & White Chips	1,072
	<p><b>Inside Dimensions:</b></p> <ul style="list-style-type: none"> <li>60" x 30" (1524 x 762 mm)</li> </ul>	590 lbs (268 kg)	7.3	081 White Portland Cement with Black & White Chips	1,454
	<p><b>Inside Dimensions:</b></p> <ul style="list-style-type: none"> <li>60" x 36" (1524 x 914 mm)</li> </ul>	620 lbs (281 kg)	8.8	081 White Portland Cement with Black & White Chips	1,461
<b>Custom Order</b>			<b>Optional Colors</b>		
<b>WTRSPEC*</b>				100 White Portland Cement with White Chips 501 Grey Portland Cement with White Chips	



 Meets the Americans with Disabilities Act guidelines and ANSI A117.1 requirements for accessible and usable building facilities.

- ◆ 36" x 36" shower walls must measure 36" x 36" when inspected
- ◆ Thresholds must be 1/2" or less when inspected
- ◆ Check local codes

\*Custom Order Terrazzo forms available at [www.fiatproducts.com/resources](http://www.fiatproducts.com/resources).



\*Custom orders cannot be cancelled and are non-refundable.


# MOLDED-STONE® SHOWER FLOORS

Shower Floors	DESCRIPTION	SHIP WT. (lbs/kg)	CUBES (Ft. <sup>3</sup> )	COLORS	LIST PRICE
<b>CASCADE®</b> 	<ul style="list-style-type: none"> <li>• Single threshold, Molded-Stone® shower floor</li> <li>• Integral drain, quick drain connector</li> <li>• Color-matched, plastic strainer</li> <li>• Recessed for floor installation</li> <li>• 3-Sided integral flange</li> </ul>				
	<b>32WL</b> <b>Nominal Dimensions:</b> <ul style="list-style-type: none"> <li>• 32" x 32" (813 x 813 mm)</li> </ul>	29 lbs (13 kg)	5.4	100 White	241
	<b>34WL</b> <b>Nominal Dimensions:</b> <ul style="list-style-type: none"> <li>• 34" x 34" (864 x 864 mm)</li> </ul>	31 lbs (14 kg)	6.0	100 White	272
	<b>36WL</b> <b>Nominal Dimensions:</b> <ul style="list-style-type: none"> <li>• 36" x 36" (914 x 914 mm)</li> </ul>	34 lbs (15 kg)	6.6	100 White	235
<b>4242WL</b> <b>Nominal Dimensions:</b> <ul style="list-style-type: none"> <li>• 42" x 42" (1067 x 1067 mm)</li> </ul>	48 lbs (22 kg)	9.2	100 White	366	
<b>CASCADE®</b> 	<ul style="list-style-type: none"> <li>• Single threshold, Molded-Stone® shower floor</li> <li>• Integral drain, quick drain connector</li> <li>• Color-matched, plastic strainer</li> <li>• Recessed for floor installation</li> <li>• 3-Sided integral flange</li> </ul>				
	<b>42WL</b> <b>Nominal Dimensions:</b> <ul style="list-style-type: none"> <li>• 42" x 34" (1067 x 864 mm)</li> </ul>	36 lbs (16 kg)	7.3	100 White	301
	<b>4832WL</b> <b>Nominal Dimensions:</b> <ul style="list-style-type: none"> <li>• 48" x 32" (1219 x 813 mm)</li> </ul>	42 lbs (19 kg)	7.0	100 White	333
	<b>48WL</b> <b>Nominal Dimensions:</b> <ul style="list-style-type: none"> <li>• 48" x 34" (1219 x 864 mm)</li> </ul>	44 lbs (20 kg)	8.3	100 White	351
	<b>54WL</b> <b>Nominal Dimensions:</b> <ul style="list-style-type: none"> <li>• 54" x 34" (1372 x 864 mm)</li> </ul>	47 lbs (21 kg)	9.6	100 White	421
<b>60WL</b> <b>Nominal Dimensions:</b> <ul style="list-style-type: none"> <li>• 60" x 34" (1524 x 864 mm)</li> </ul>	51 lbs (23 kg)	10.1	100 White	517	




# MOLDED-STONE® SHOWER FLOORS

Shower Floors	DESCRIPTION	SHIP WT. (lbs/kg)	CUBES (Ft. <sup>3</sup> )	COLORS	LIST PRICE
 <p><b>CASCADE®</b></p> <p><b>36WLD</b></p>	<ul style="list-style-type: none"> <li>• Double threshold, Molded-Stone® shower floor</li> <li>• Integral drain, Q1C2 quick drain connector</li> <li>• Color-matched, plastic strainer</li> <li>• 2-Sided integral wall flange</li> <li>• Recessed for floor installation</li> </ul> <p><b>Nominal Dimensions:</b> • 36" x 36" (914 x 914 mm)</p>	43 lbs (20 kg)	6.6	100 White	344
 <p><b>CASCADE®</b></p> <p><b>36WLC</b></p>	<ul style="list-style-type: none"> <li>• Neo-corner, Molded-Stone® shower floor</li> <li>• Integral drain, Q1C2 quick drain connector</li> <li>• Color-matched, plastic strainer</li> <li>• Recessed for floor installation</li> <li>• 2-Sided integral flange</li> </ul> <p><b>Nominal Dimensions:</b> • 36" x 36" (914 x 914 mm)</p>	39 lbs (18 kg)	6.6	100 White	262
<p><b>38WLC</b></p>	<p><b>Nominal Dimensions:</b> • 38" x 38" (965 x 965 mm)</p>	43 lbs (20 kg)	7.4	100 White	304







**2" Stainless Steel Strainer Plate**  
**STRWL000 — \$12**







**3" Plastic Strainer Plate — White**  
**00242604100 — \$11**

# LAUNDRY TUBS






Laundry Tubs	DESCRIPTION	SHIP WT. (lbs/kg)	CUBES (Ft. <sup>3</sup> )	COLORS	LIST PRICE
<b>FLOOR MOUNTED LAUNDRY TUB</b>  <b>FL1</b>  <b>FL1-BULKWC</b>	<ul style="list-style-type: none"> <li>Floor mounted</li> <li>Compression Molded-Stone®</li> <li>Single bowl laundry tub with white baked enamel steel legs</li> <li>Includes strainer and plug</li> <li>Less faucet and supply line</li> </ul> <p><b>Nominal Dimensions:</b></p> <ul style="list-style-type: none"> <li>23" x 21-1/2" (584 x 546 mm)</li> </ul> <p><b>Bulk Package</b></p> <ul style="list-style-type: none"> <li>Eighty-four (84) pack of model FL1 shipped with cartons and hardware</li> </ul>	28 lbs (13 kg)	4.6	100 White	175  13,288
<b>WALL MOUNTED LAUNDRY TUB</b>  <b>L1</b>  <b>L1-BULKWC</b>	<ul style="list-style-type: none"> <li>Wall mounted</li> <li>Compression Molded-Stone®</li> <li>Single bowl laundry tub</li> <li>Includes hanger, strainer and plug</li> <li>Less faucet and supply line</li> </ul> <p><b>Nominal Dimensions:</b></p> <ul style="list-style-type: none"> <li>23" x 21-1/2" (584 x 546 mm)</li> </ul> <p><b>Bulk Package</b></p> <ul style="list-style-type: none"> <li>Eighty-four (84) pack of model L1 shipped with cartons and hardware</li> </ul>	20 lbs (9 kg)	5.2	100 White	161  12,604
<b>FLOOR MOUNTED LAUNDRY TUB</b>  <b>FL7</b>  <b>FL7TG</b>  <b>FL7-BULKWC</b>	<ul style="list-style-type: none"> <li>Floor mounted</li> <li>Appliance depth</li> <li>Compression Molded-Stone®</li> <li>Single bowl laundry tub with white baked enamel steel legs</li> <li>Includes integral drain and plug</li> <li>Less faucet and supply line</li> </ul> <p><b>Nominal Dimensions:</b></p> <ul style="list-style-type: none"> <li>20" x 24" (508 x 610 mm)</li> </ul> <p><b>Bulk Package</b></p> <ul style="list-style-type: none"> <li>Eighty-four (84) pack of model FL7 shipped with cartons and hardware</li> </ul>	19.5 lbs (8.8 kg)	4.6	100 White	178  320  14,043
<b>WALL MOUNTED LAUNDRY TUB</b>  <b>L7</b>  <b>L7TG</b>  <b>L7-BULKWC</b>	<ul style="list-style-type: none"> <li>Wall mounted</li> <li>Appliance depth</li> <li>Compression Molded-Stone®</li> <li>Single bowl laundry tub</li> <li>Includes integral drain and plug</li> <li>Less faucet and supply line</li> </ul> <p><b>Nominal Dimensions:</b></p> <ul style="list-style-type: none"> <li>20" x 24" (508 x 610 mm)</li> </ul> <p><b>Bulk Package</b></p> <ul style="list-style-type: none"> <li>Eighty-four (84) pack of model L7 shipped with cartons and hardware</li> </ul>	17 lbs (7.7 kg)	4.6	100 White	168  299  13,131

# LAUNDRY TUBS

Laundry Tubs	DESCRIPTION	SHIP WT. (lbs/kg)	CUBES (Ft. <sup>3</sup> )	COLORS	LIST PRICE
<b>FLOOR MOUNTED LAUNDRY TUB</b> 	<ul style="list-style-type: none"> <li>• Floor mounted</li> <li>• Compression Molded-Stone®</li> <li>• Double bowl laundry tub with white baked enamel steel legs</li> <li>• Includes drain assembly, strainers and drain plugs</li> <li>• Less faucet and supply line</li> </ul>	37.5 lbs (17 kg)	11.2	100 White	313
	<b>FLTDII</b> <b>Nominal Dimensions:</b> <ul style="list-style-type: none"> <li>• 40" x 24" (1016 x 610 mm)</li> </ul>				
	<b>FLTDII/A1100</b> • FLTDII + A1000 deck faucet  <b>FLTDII-BULKWC</b> <b>Bulk Package</b> <ul style="list-style-type: none"> <li>• Twenty (20) pack of model FLTDII shipped with cartons and hardware</li> </ul>				
<b>WALL MOUNTED LAUNDRY TUB</b> 	<ul style="list-style-type: none"> <li>• Wall mounted</li> <li>• Appliance depth</li> <li>• Compression Molded-Stone®</li> <li>• Double bowl laundry tub</li> <li>• Includes hanger, drain assembly, strainer and drain plugs</li> <li>• Less faucet and supply line</li> </ul>	34.5 lbs (15.6 kg)	11.2	100 White	294
<b>LTDII</b> <b>Nominal Dimensions:</b> <ul style="list-style-type: none"> <li>• 40" x 24" (1016 x 610 mm)</li> </ul>					
<b>FLOOR MOUNTED TUF TUB™</b> 	<ul style="list-style-type: none"> <li>• Floor mounted</li> <li>• Heavy duty polyethylene</li> <li>• Single bowl laundry tub</li> <li>• White baked enamel steel legs</li> <li>• Includes integral drain and drain plug</li> <li>• Less faucet and supply line</li> </ul>	18 lbs (8.2 kg)	4.8	100 White	153
	<b>SF1F</b> <b>Nominal Dimensions:</b> <ul style="list-style-type: none"> <li>• 20" x 23-7/8" (508 x 606 mm)</li> </ul>				
	<b>SF1F/A1100</b> • SF1F + A1000 deck faucet  <b>SF1F-BULKWC</b> • Eighty-four (84) pack of model SF1F shipped with cartons and hardware.				
<b>WALL MOUNTED TUF TUB</b> 	<ul style="list-style-type: none"> <li>• Wall mounted</li> <li>• Heavy duty polyethylene</li> <li>• Single bowl laundry tub</li> <li>• Includes hanger, integral drain and plug</li> <li>• Less faucet and supply line</li> </ul>	14 lbs (6.4 kg)	4.8	100 White	144
	<b>SF1W</b> <b>Nominal Dimensions:</b> <ul style="list-style-type: none"> <li>• 20" x 24" (508 x 610 mm)</li> </ul>				
	<b>SF1W/A1100</b> • SF1W + A1000 deck faucet	28 lbs (13 kg)			248



For recommended upgrades and parts, see page 26.

# LAUNDRY TUBS

Laundry Tubs	DESCRIPTION	SHIP WT. (lbs/kg)	CUBES (Ft. <sup>3</sup> )	COLORS	LIST PRICE
 <p><b>LAUNDRY TUB-TO-GO</b></p> <p><b>TAT1</b></p>	<ul style="list-style-type: none"> <li>• Floor mounted</li> <li>• Heavy duty polyethylene, single bowl, laundry tub with legs</li> <li>• Chrome plated faucet (A1) with 4" (102 mm) centerset, 4" (102 mm) blade handles, 6-3/4" (171 mm) swing spout, aerator and hose adaptor</li> <li>• Includes laundry tub with legs, faucet, integral drain with plug, p-trap and supply line</li> </ul> <p><b>Nominal Dimensions:</b> • 20" x 23-7/8" (508 x 606 mm)</p>	18 lbs (8.2 kg)	4.8	100 White	292
 <p><b>DROP-IN LAUNDRY TUB</b></p> <p><b>DL1</b></p> <p><b>DL1-BULKWC</b></p>	<ul style="list-style-type: none"> <li>• Drop-in</li> <li>• Compression Molded-Stone®</li> <li>• Single bowl laundry tub</li> <li>• Includes hanger, drain and drain plug</li> <li>• Less faucet and supply line</li> </ul> <p><b>Nominal Dimensions:</b> • 23" x 21-1/2" (584 x 546 mm)</p> <p><b>Bulk Package</b> • Sixty (60) pack of model DL1 laundry tubs with cartons and hardware.</p>	25 lbs (11.3 kg)	5.4	100 White	144  7,867
 <p><b>UTILITY SINK</b></p> <p><b>DL1720</b></p>	<ul style="list-style-type: none"> <li>• Self-rimming</li> <li>• Compression Molded-Stone®</li> <li>• Single bowl utility sink</li> <li>• Standard 3-1/2" (89 mm) drain opening</li> <li>• 9-1/2" (241 mm) deep</li> <li>• Includes four (4) mounting clips and screws</li> <li>• Less faucet and supply line</li> </ul> <p><b>Nominal Dimensions:</b> • 17" x 20" (432 x 508 mm)</p>	10 lbs (4.5 kg)	2.9	100 White	111
 <p><b>POLY LAUNDRY TUB</b></p> <p><b>P1</b></p> <p><b>P1-BULKWC</b></p>	<ul style="list-style-type: none"> <li>• Floor mounted</li> <li>• Polyethylene, single bowl laundry tub with legs</li> <li>• Single bowl laundry tub</li> <li>• Includes integral drain and drain plug</li> <li>• Less faucet and supply line</li> </ul> <p><b>Nominal Dimensions:</b> • 20" x 24" (508 x 610 mm)</p> <p><b>Bulk Package</b> • Eighty four (84) pack of model P1 shipped with cartons and hardware.</p>	13 lbs (5.9 kg)	5.2	100 White	105  7,866
 <p><b>LAUNDRY TUB-TO-GO</b></p> <p><b>PA11</b></p>	<ul style="list-style-type: none"> <li>• Floor mounted</li> <li>• Polypropylene, single bowl laundry tub with legs</li> <li>• Chrome plated faucet with 4" (102 mm) centerset, 4" (102 mm) blade handles, 6-3/4" (171 mm) swing spout, aerator and hose adaptor</li> <li>• Includes laundry tub with legs, faucet, integral drain with plug, p-trap and supply line</li> </ul> <p><b>Nominal Dimensions:</b> • 20" x 24" (508 x 610 mm)</p>	15 lbs (6.8 kg)	7.6	100 White	231

For recommended upgrades and parts, see page 26.

# LAUNDRY TUBS — ACCESSORIES

Faucets		LIST PRICE
 <p><b>A1000</b></p>	Faucet — 4" (102 mm) centerset, chrome plated, metal constructed faucet with 4" (102 mm) blade handles, 6-3/4" (171 mm) 360° swing spout, aerator and hose adaptor	115
 <p><b>A17000</b></p>	Clamp-on faucet — chrome plated with 4" (102 mm) blade handles, 8" (203 mm) swing spout, angled hose connection for overhead supplies (102 mm) blade handles, 6-3/4" (171 mm) 360° swing spout, aerator and hose adaptor	101
Recommended Upgrades and Parts		
▷01898800100	Leg — one (1) 21" (533 mm) one-piece, durable, metal leg	15
▷01898900000	Hanger — 18-7/8" (479 mm) one-piece, durable, metal hanger	10
▷00727402000	Hardware kit — one (1) drain, one (1) drain plug, four (4) aluminum mounting clips and screws — for model DL1	8
▷0017204000	Hardware kit — four (4) aluminum mounting clips and screws and installation instructions — for model DL1720	14.66
▷02727901100	Hardware kit — one (1) drain, one (1) drain plug, four (4) white legs, one (1) screw bag and installation instructions — FL1 only	49
▷02727900000	Hardware kit — one (1) drain, one (1) drain plug, four (1) bracket, one (1) screw bag and installation instructions — L1 only	33
▷02883900100	Hardware kit — drain, plug, four (4) legs, screw bag and installation instructions — FL7, P1, PA11, SF1F and TAT1	47
▷02883901000	Hardware kit — one (1) tail nut, one (1) drain stopper, one (1) plastic bracket set, one (1) metal wall bracket, one (1) screw bag and installation instructions — SF1W only	36
▷02883902000	Hardware kit — drain, bracket, screw bag and installation instructions — SF1W only	34
▷02883903000	Hardware kit — A1 faucet, p-trap, supply line — FL7TC and L7TG only	152
▷02898904100	Leg pack — faucet, plug, screen bag, legs, twin tub waste pipes — FLTDII only	78
▷02898905000	Hardware kit — faucet, plug, screen bag, bracket, twin tub waste pipes — LTDII only	55
<b>A2000</b>	Overflow tube — 12" (305 mm) plastic construction	9
<b>A3100</b>	Faucet Block	8
▷02883906000	Hardware kit — one polished chrome faucet with spout, one (1) p-trap and two (2) supply lines — TAT1 only	152
▷02883907000	Hardware kit — one (1) screw bag, one (1) tail nut and stopper, four (4) legs — PA11 only	152

# WARRANTY

## LIMITED ONE YEAR WARRANTY FOR PERSONAL RESIDENTIAL AND COMMERCIAL USE OF FIAT® PRODUCTS

### WARRANTY COVERAGE

FIAT® Products warrants against defects in material and workmanship under both normal residential and commercial use for as long as it is owned by the original purchaser for a period of one (1) year from the date of first purchase. Date of purchase is defined as date on invoice.

This warranty is provided for the exclusive benefit of the initial consumer purchaser or owner. This warranty is non-transferable to subsequent purchasers or owners. The sole exception to the non-transferability of this warranty is that if this product is purchased by a plumber, contractor or other service provider, this warranty extends to the first residential and commercial property owner on whose behalf the product was purchased for installation. This warranty applies only to FIAT® Products installed in the United States of America, or Canada.

If a defect arises and a valid claim is received, FIAT Products will, at its option, either (1) repair the product, (2) replace the product or any part therein with a FIAT product of equal or similar type and size, or (3) refund to the consumer the wholesale price of the product. If FIAT Products elects to refund the wholesale price to the consumer, FIAT Products shall have no further obligation to its wholesale customer, or any contractor with respect to such product. Goods proven to be defective will be replaced after proper inspection, but no claims for damages incurred or for work done thereon will be allowed. Replacements when supplied will be shipped at no cost to the consumer.

### EXCLUSIONS AND LIMITATIONS

1. This warranty only applies to products purchased through an authorized FIAT® Products dealer or re-seller.
2. This warranty does not apply to defects or damage caused by non-genuine FIAT parts, installation error, product abuse, product misuse, improper maintenance, improper care or cleaning, improper repair or installation, and/or movement or transfer of the product from its original installation location (whether performed by you, a plumber, a contractor or a service company). Because improper care and cleaning can cause significant damage to the product, it is strongly recommended that you follow the Care and Cleaning Instructions (as well as the other instructions) that accompanied the product.
3. FIAT Products is not responsible for labor charges and/or damage incurred during installation, repair or replacement.
4. FIAT Products does not warrant that this product and/or its installation complies with local code requirements. FIAT Products, LLC recommends that you consult with a plumbing contractor about local code requirements.

TO THE EXTENT PERMITTED BY LAW, THIS WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, WHETHER ORAL OR WRITTEN, STATUTORY, EXPRESS OR IMPLIED. FIAT PRODUCTS HEREBY EXCLUDES SPECIAL, INCIDENTAL AND CONSEQUENTIAL DAMAGES FOR ANY BREACH OF ANY EXPRESS OR IMPLIED WARRANTY APPLICABLE TO THIS PRODUCT.

Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitations and exclusions may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state (or province, as applicable).

### OBTAINING WARRANTY SERVICE

If you believe that you have a warranty claim, contact FIAT Products through your local reseller or dealer or re-seller, or by writing:

**In the United States & Canada:**  
FIAT Products, LLC  
4515 E. 139th St.  
Grandview, MO 64030  
Attention: Customer Service Manager

Please be sure to provide all pertinent information regarding your claim, including a complete description of the problem, the product, model number, color, finish, purchase date, and from whom the product was purchased.

For other information, call 833-549-2887 in the United States & Canada or visit [www.fiatproducts.com](http://www.fiatproducts.com).

# TERMS & CONDITIONS

All accounts are subject to the general conditions set out below:

**TERMS OF PAYMENT:** A 2% 30, Net 31 discount will be allowed for payments in full on or before the thirtieth (30th) day of the month following the date of the invoice. Cash discount is calculated on the total amount of the invoice before additions or deductions for freight and before any and all applicable taxes. All invoices without payment term discounts become due on a net thirty one (31) days after the date of the invoice. A service charge in the amount of 1.5% per month will be added to any past due invoice.

ANY ORDER PLACED WITH FIAT BY CUSTOMERS, WITHOUT AN APPROVED ACCOUNT, WILL BE SHIPPED ON A C.O.D. BASIS.

**CREDITS:** FIAT authorized "Credits" in favor of a customer or in a customer's account cannot be "cashed." Approved "Credits" can be applied against purchases.

**RETURNS:** A Returned Goods Authorization Number (RGA#) must be obtained from FIAT before the return of any merchandise. Only materials in resalable condition and of current design may be returned. All returns must be made within 30 days of the issuance of the RGA Number, after 30 days the RGA Number will expire. The authorization of the return of FIAT's products to FIAT for inspection and quality control examination does not authorize or indicate that a credit will be issued. Should FIAT incur any charges making the returned items saleable (boxing, labeling, etc.), the customer will be charged a nominal fee to recoup these costs.

**DELAYED SHIPMENTS:** FIAT shall be excused for any delay in performance due to acts of God, wars, riots, embargoes, acts of civil or military authorities, fires, floods, accidents, quarantine restrictions, mill conditions, pandemic, metal markets, abrupt ends to civilization, strikes, differences with workers, delays in transportation, shortages of cars, fuels, labor or materials, or any cause beyond the reasonable control of FIAT.

**DELIVERY EXTENSIONS AND ORDER CANCELLATIONS:** Orders cannot be cancelled and delivery dates cannot be extended beyond the original delivery date indicated or promised without the express written consent of FIAT and only upon such terms and conditions which shall indemnify and protect FIAT from injury, damages or loss.

**OTHER CONDITIONS:** The terms of any agreement or order entered into pursuant to these Terms and Conditions of Sale are to be construed and governed by the State of Missouri. Possession of a FIAT Catalog, Price Sheet, or Product Guide does not constitute an offer to sell. No order or agreement, whether negotiated by FIAT or anyone claiming to be an agent or acting on behalf of FIAT, will become an obligation of FIAT until accepted in writing by FIAT's Grandview, Missouri office.

**WARRANTY:** FIAT Products, Inc. warrants the products offered to be free from defects in material and workmanship for a period of one year from the date of shipment under normal use and service, provided these products are installed and used in accordance with the applicable instructions as issued by FIAT. The warranty does not apply to products that have been altered or repaired by others. FIAT shall not be responsible for installation of labor charges of any kind. FIAT is not responsible for incidental or consequential damages of any kind.

For more information on the above Terms and conditions, please email [orders@fiatproducts.com](mailto:orders@fiatproducts.com) or call 833-549-2887



**FIAT**  
PRODUCTS

[www.fiatproducts.com](http://www.fiatproducts.com)

To Place an Order: [orders@fiatproducts.com](mailto:orders@fiatproducts.com)

For Customer Service Call: 1-833-549-2887