# **Hazard Communication Safety Data Sheet**

In compliance with 'OSHA quick card' system and numbering

## **Section 1- IDENTIFICATION AND COMPANY**

Trade Name **EVERFLUX®** 

Type & Product/Use Water Soluble Soldering Flux

Manufacturer Wiseman Industries Ltd

17 Radford Crescent

Billericay Essex CM12 0DG United Kingdom

info@wisemanind.com

Emergency Number Tel: 714 879 0622

Distributed in the USA by Delta Q Inc, 1851 Dawns Way, Fullerton, CA92831

Tel: 714 879 06227 Fax: 714 879 0623 www.deltaginc.om

## Section 2, HAZARD(S) IDENTIFICATION

Zinc Chloride: CAS No 7646-85-7 TLV (units) 1 mg/m<sup>3</sup> Ammonium Chloride CAS No 12125-02-9 TLV (units) 10 mg/m<sup>3</sup>

THIS PRODUCT IS NOT CLASSIFIED ACCORDING TO THE CHEMICALS HAZARD INFORMATION AND PACKAGING FOR SUPPLY (AMENDMENT) REGULATIONS

## Section 3 – COMPOSITION/INFORMATION ON INGREDIENTS

Surfactants < 5% w/w

Emulsifying Oils

Soluble Waxes

Ammonium Chloride > 2% w/w Zinc Chloride > 4% w/w

White Oils

Inhibitors < 2% w/w

## **Section 4 - FIRST AID MEASURES**

**SKIN:** Contact should be avoided. Prolonged or repeated contact with the skin can inflame, irritate and burn the skin. In case of skin contact, immediate washing with plenty of soap and water is recommended.

**EYES:** Contact should be avoided. If this occurs, irrigate for at least 15 minutes under running cold tap and seek medical attention.

**INHALATION:** Remove to fresh air. If recovery is not immediate call doctor at once.

**INGESTION:** DO NOT INDUCE VOMITING. Drink Bicarbonate of Soda in water/milk/Milk of Magnesia or Washing Soda in water. Call Doctor immediately.

#### **Section 5 - FIRE FIGHTING MEASURES**

This product is water based and would not support combustion.

#### **Section 6 - ACCIDENTAL RELEASE MEASURES**

In the event of spillage mop up bulk and dilute remainder to foul drain with water. Treat large spillages as industrial waste.

## **Section 7 - HANDLING AND STORAGE**

Store in original containers and protect from extremes of temperature. Do not mix with any other material other than water as directed.

## Section 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

**RESPIRATORY PROTECTION:** Use in well ventilated areas to avoid the inhalation of any fumes evolved.

HAND PROTECTION: A barrier cream is recommended – WISEMAN'S BOFANS

**EYE PROTECTION:** Safety goggles or face shield should be worn.

**SKIN PROTECTION:** Normal work ware protective clothing should be worn.

## **Section 9 - PHYSICAL AND CHEMICAL PROPERTIES**

APPEARANCE: White coloured paste ODOUR: None pH: N/A BOILING POINT: N/A FLASH POINT: N/A FLAMMABILITY: Does not support combustion SOLUBILITY: Soluble in water

## **Section 10 - STABILITY AND REACTIVITY**

This product is stable and will not cause any adverse reactions if used as directed.

## **Section 11 - TOXICOLOGICAL INFORMATION**

**INHALATION:** If the soldering temperature exceeds 400°C, Zinc chloride fumes may be

evolved which can cause irritation to the respiratory system.

**SKIN CONTACT:** Prolonged contact will inflame, irritate and burn the skin.

**EYE CONTACT:** Irritant and will cause inflammation.

**INGESTION:** May burn the mouth and cause gastrointestinal inflammation.

#### **Section 12 - ECOLOGICAL INFORMATION**

All surfactants conform to current E.E.C directives on biodegradability.

Containers may be treated as domestic waste.

#### **Section 13 - DISPOSAL CONSIDERATIONS**

In the event of spillage or leaks mop up bulk and dilute remainder to foul drain with water. For large volumes follow local authority regulations. Packaging – Rinse thoroughly with water and dispose as solid waste.

#### **Section 14 - TRANSPORT INFORMATION**

ADR - N/A CDG/CPL - N/A I.M.D.G - N/A

#### **Section 15 - REGULATORY INFORMATION**

This product is not classified as hazardous according to the Chemicals Hazard Information and Packaging for Supply (amendment) Regulations 1996.

SAFETY PHRASES –S24/25 Avoid contact with skin and eyes.

-S26 In case of contact with eyes, rinse immediately with plenty of

water and seek medical advice.

## Section 16 - OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

For additional information contact WISEMAN'S Technical Services Department. The name EVERFLUX® is a registered trade mark. SDS revised May 2018

#### **ADDITIONAL INFORMATION**

EVERFLUX®, the product, has been by IAPMO Research and Test Laboratories. It complies with;

- 1) Uniform Plumbing Code UPC®
- 2) International Plumbing Code in compliance with Standard ASTM B-813 2016

EVERFLUX® meets Standard Specification for Liquid & Paste Fluxes for Soldering of Copper and Copper Alloy Tube ASTM B813-16.

EVERFLUX® in meeting with the State of California's Health & Safety Requirements 'California Safe Drinking Water & Toxic Enforcement Act 1986', has no chemicals listed under Prop 65, complying with the State of California.

#### **WARRANTY**

This product is sold only on the understanding that Wiseman's accept no liability whatsoever for any loss, injury or damage direct or indirect for any purpose other than that recommended by The Wiseman Industries Ltd or if the product is not used strictly in accordance with the instructions and/or directions issued with the product.